ARMY SERVICE FORCES CATALOG

ORD 7 SNL G-176

ORGN. SPARE PARTS AND EQUIPMENT

*RESTRICTED

ORDNANCE SUPPLY CATALOG

Group G

Technical Reference TM 9-743

(ORD 7 Standard Nomenclature List No. G-176)

Organizational Spare Parts and Equipment

For

CAR, ARMORED, UTILITY, M20

(Supersedes the OSP&E, ORD 7 SNL G-176 portion of ORD 7-8-9 SNL G-136 and G-176, dated 25 January 1944 (Sections 3 and 4 portion of basic book), as changed by Changes No. 3, dated 27 April 1944 and Changes No. 4, dated 18 September 1944)

Dissemination of restricted matter. –The information contained in restricted documents and the essential characteristics of restricted material may be given to any person known to be in the service of the United States and to persons of undoubted loyalty and discretion who are cooperating in Government work, but will not be communicated to the public or to the press except by authorized military public relations agencies. (See also paragraph 23b, AR 380-5, 15 March 1944.)

Distribution: see Inside Front Cover

HEADQUARTERS, ARMY SERVICE FORCES, 24 OCTOBER 1944

ORD 7 SNL G-176

ORGN. SPARE PARTS AND EQUIPMENT

*RESTRICTED

ORDNANCE SUPPLY CATALOG

GROUP G

Technical Reference TM 9-743

(ORD 7 Standard Nomenclature List No. G-176)

Organizational Spare Parts and Equipment
For

CAR, ARMORED, UTILITY, M20

*RESTRICTED.—Dissemination of Restricted Matter—The information contained in restricted documents and the essential characteristics of restricted materiel may be given to any person known to be in the service of the United States and to persons of undoubted loyalty and discretion who are cooperating in Government work, but will not be communicated to the public or to the press except by authorized military public relations agencies. (See also paragraph 23b, AR 380-5, 15 March 1944.)

(Supersedes the OSP&E, ORD S SNL G-176 portion of ORD 7-8-9 SNL G-136 and G-176, dated 25 January 1944 (Sections 3 and 4 portion of basic book), as changed by Changes No. 3, dated 27 April 1944 and Changes No. 4, dated 18 September 1944.)

This is a list of organizational spare parts and organizational equipment (accessories; tools; sighting and fire control equipment; applicable cleaning and preserving materials; and articles for instructional purposes) which are issued to the using arms or service for its use in performing 1st and 2nd echelon maintenance.

This standard nomenclature list is supplemental to Tables of Organization and Equipment, Tables of Basic Allowances and Tables of Allowances. It is therefore imperative that it be in the hands of all organizations and establishments concerned. Special attention should be given to its distribution.

Standard Nomenclature Lists in the G Group, are published either in one combined or in three separate pamphlets. When combined, the publication contains all information formerly published in the three separate pamphlets.

- (A) When combined, the publication is known as the Ordnance Supply Catalog, ORD 7, 8 and 9.
- (B) When published separately, the following are the three pamphlets-
- (1) The LIST OF ALL PARTS or SERVICE PARTS CATALOG section—This list will be used for identification and storage purposes only.
- (2) The ORGANIZATIONAL SPARE PARTS AND EQUIPMENT section—which lists items issued to organizations equipped with this materiel.
- (3) The HIGHER ECHELON SPARE PARTS AND EQUIPMENT (Addendum) section—which lists major items, maintenance parts and equipment available for maintenance of this materiel. (This section is for use of Ordnance personnel only.)

For full information relative to Standard Nomenclature Lists, the procedure followed and the principles employed in their compilation, together with the purposes and uses thereof, see the Introduction (ORD 1 IOC), the Index (ORD 2 OPSI), and the Ordnance Provision System Regulations (OPSR).

HEADQUARTERS, ARMY SERVICE FORCES, 24 OCTOBER 1944



ORD 7

ORGANIZATIONAL SPARE PARTS AND EQUIPMENT

TABLE OF CONTENTS

IST OF F	IGURE	s	• ~-					•			•			•	•			3
ORGANIZ	ATION	AL SP	ARE	PA	RTS	5						٠				•		5
DRGANIZ	ATION	AL TO	OLS		•	•	•		•	•				•				11
/EHICULA	R SPA	RE PA	RTS	•		٠	٠	•			, •	•	•		•	•	٠	12
/EHICULA	R TOC	DLS A	ND E	QU	IPN	AEN	T	•	•	•	•	٠		٠	•	•		. 12
/EHICULA	R ARN	NAMEN	IT .	٠.	•		•	•	•	٠	•	•		•	٠	• .	. •	15
/EHICULA	R ARM	AAMEN	IT SF	PAR	EF	PAR	TS				•	•			٠	•	•	15
/EHICULA	R ARN	AAMEN	IT TO	0	LS	AN	D A	١ÇC	ESS	OR	IES	•		•	•	•	•	16
/EHICULA	R SIG	HTING	AN	D F	IRE	CC)N	TRO	L I	QL	JIPI	VEV	IT	•	•	٠		17
/EHICULA	R AM	TINUN	ION	•	•	•	•	· •		•	• .	•	•	•		•	•	18
APPLICAB	LE CLE	ANIN	G AN	ND	PR	ESE	RV	NG	M	ATI	ERI/	ALS	•				•	18
ARTICLES	FOR II	NSTRU	CTIO	NA	L I	PUR	PO	SES	; .			•		•			•	18
AAJOR II	rem .		•	•	•	٠	•	•	•	•	•	•	•			. •	•	19
NOTES .			•			• .	•			•	•,		•					19
MANUFAC	TURER	'S SYA	ABOL	.5	•	•	•	•	•	•	•	•	٠	•	٠	•	•	19
				L	ST	0	FF	:IG	URI	ES								_
igure No. 1	Car, A	rmore	d, U	tilit	у,	M2	0		•			:				•		Page 4
2	Tools f	for Ca	r, Ar	mo	rec	ı, U	tilii	y,	M2	O .	•	•	•.	•	•			20




FIGURE 1—CAR, ARMORED, UTILITY, M20

	Note Symbol			13 Col. 14			_						<u> </u>									
	61 683	Nehicles	No. 8	2 Cèl. 13					77	21:	11	1	- 11	Ξ	1/	22	11	- 7	64	16		
	8000-mi nce servi 2810)	78-100 3 Vehicles	Set No. 7	Cal. 12	li .			•	۰	16	0 00	∞	∞	∞	7	16	∞ .		-	12		44,
Z.	Units performing 8000-mile (100 hr.) maintenance services (see TM 9-2810)	51-75 Vehicles	Set No. 6	Col. 11		.,			-	12	ο · φ	9	پ	٥	~	12	9	7	~	6		ოო,
UNIT BREAK-DOWN	Units pe (100 hr.)	28-50 Vehicles	Set No. 5	Col. 10				L.		σ.	'n	ß	s	'n	·	4 6	۲Ω	-	~	7	<u>-</u>	
VIT BRE		1-25 Venicies	Set No. 4	Cof. 9				,	t		. 4	4	4	4	·		4	,		ν	- 12	8 8
5	00-mile services 0)	51-75 Vehicles	Set No. 3	Col. 8		7 , 2 2 2	•••	,	,	ທຸ	, w	ю	m	ო		יאו	m			4	 ,	
	rming 10 ntenance IM 9-281	26-50 Vehicles	Set No. 2	Col. 7		*			٠	4 0	4 (4	7	cı	64	-	٠ 4	7			м		
	Units performing 1000-mile (50 hr.) maintenance services (see TM 9-2810)	1-25 Vehicles V	Set No. 1	Col. 8						m +		-	-			. m	-			- 61		
	Σ ω 			Col. 6	ORGANIZATIONAL SPARE PARTS	Columns 6 through 13 in this section show the estimated quantities of parts required by Units performing 1000-mile (50 hr.) and 6000-mile (100 hr.) maintenance services to maintain the various quantities of the vehicle assigned to those Units.	GROUP 01-ENGINE	ELEMENT, oil filter, assembly (type C-31-A)	FILTER, oil, w/BASE, assembly	GASKET, valve chamber cover (1/8 cork)	GASKET, valve cover fitting (cork)	GASKET, cylinder head, S., and asbestos	GASKET, oil filter case cover (veilumoid)	(FR-11582)	(FR-11581)	GASKET, oil pan, half (1/2 vellumoid)	GASKET, oil pan drain plug (copper and asbestos) PLIIG drain magnetic 76,18NR 2 oil non (in		PLUG, drain, oil panSCREW. can. hex.hd allowS 12.12NC-3 = 212	(cylinder head) (SAE-2330)	GROUP 02—CEUTCH	GASKET, clutch master cylinder filler plug
	Part Number		Manufacturer	Cof. 4				HM-17256CS	HM-42842-DS	HM-41005-B	HM-18573-A	HM-42236-C	HM-42852-A HM-32249-A	4 0000	HM-11382-A	HM-42183-B	HM-296-A HM-11603.A		HM-14867-A HM-4118-A			LO-FC-5922 WH-70099
	-		Ordnance	Col. 3				B247235	-	B153279			•			-			A144647			A283976 A283824
Official	Stock Number	Order and Store by	This Number	Col. 21				G134-0131615	G136-0183052	G134-0193832	G136-0194015	G134-0193836	G136-0194078	G134 0103004	1700610-1015	G134-0193835	G120-0193945 G120-0340635		G134-0340421 G067-1201110			G134-0193788 G136-0217815
	Figure	i		Col. 1								• • •										

Note			3 Col. 14									· · · <u>- · · · · · · · · · · · · · · · ·</u>						·		
	101 Up Vehicles	Set No. 8				60 60 60	0 0	64 10	~ =	10.	7 7 7		111		11 5	20 21	∞	8	Ŋ	11
6000-mile se service 10)	76-100 Vehicles	Set No. 7	Col. 12	·		7 7		 4	· vo a) 4 n	> ∞ ⊷		4 œ		∞ 4	4 H	9	~	4	∞
forming valutenand TM 9-28	51-75 Vehicles	Set No. 6	Col. 11			8		 €	4 4	, m c	9 7		m vo		ဖက	ო ⊷	ນາ		m	9
Units performing 6000-mile (100 hr.) maintenance services (see TM 9-2810)	28-50 Vehicles	Set 70.5	Col. 10		-			8	n r	2 62 6	א נע נ		2 2		N 61	07 F4	4		67	ıs
Units per (100 hr.) m (see	1-25 Vehicles	Set No. 4	Col. s			·		6	0 4	+ 63 6	4 4		0.4		4 (1	64	ო		67	4
00-mile	51-75 Vehicles	Set No. 3	Col. 8		 ·			-	. 61 6	, c	* m		 εν		е н	-	61		1	
rming 100 intenance FM 9-2810	28-50 Vehicles	Set No. 2	Col. 7					-	1616	* ** 0	4 64		- 7		2 -	H	77		~	~
Units performing 1000-mile (50 hr.) maintenance services (see TM 9-2810)	1-25 Vehicles	No.	Col. 6					-) yet ye	4 ↔,+	٠		н н			p=4	p-4		-	
	E 3 -		Col. 5	ORGANIZATIONAL SPARE PARTS (Cont'd)	GROUP 03-FUEL SYSTEM	BOWL, fuel pump, glass CAP, fuel tank, w/CHAIN, assembly CARRITRETOR assembly	CHOKE, automatic, 12 volt. ELEMENT, fuel filter, assembly	FILTER, fucl, assembly.	GASKET, carburetor flange to manifold.	GASKET, fuel pump bowl.	GASKET, fuel strainer	GROUP 04-EXHAUST	GASKET, exhaust pipe elbow to muffler	GROUP 85—COOLING	BELT, fan driveBELT, generator (use with Generator D67368)	BELT, generator (use with Generator D67368A)	CLAMP, hose, S., 2½ I.D. x ½ width, all engine to radiator hose connections, w/SCREW, and NUT	CUP, grease, automatic feed, ½-27NPT, ½ oz GASKET, fibre, 1% I.D. x 2½ O.D. x 0.062 thk.	(radiator cap)	moid)
Part Number		Manufacturer	Col. 4			AC-1521945 FM-GWP-9030A Z-C29WX12	HOL-64-38A AC-1595823	AC-1595835 , HOL-8R-206	Z-C141.4.7	AC-1521946	AC-853572 AC-1538153					AC-RC8213		HM-749-A	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	HM-42/52-A.
		Ordnanea	Col. 3			C118305	B248862	C118043 A276999	A284083	40000	C118130		A283995 A283983		D67400A D67400B	D67400C B248871	A283430	CLEX2B A248397		
Official Stock Number	Order and	This Number	Col. 2			G136-0124508 G136-0131576 G134-0131584	G136-0135720 G501-0392150	G134-0182816 G136-0194028	G136-0194083	G166-0194015	G133-0193817 G134-0345921		G136-0194030 G136-0194029		G103-1518303 G103-1518304	G136-0118253 G134-0131260	G134-0137322	G156-0143546		G130-0194027
Figure	Jegen Z		56.1					_					,							

	H-15	-			H.4	H-H H-4-H	4
22 8 1188		0 m 0 m 0	4 2 2 2 2 2 2	2 2 33			H-4
	H 40				# .	11 32	
			32		······································		4
H 56555	H 82	- a - a -	24 4	18	. و	9	6
4404 ==	7 27	ਕਰਕੋਰਰ		4 4	vo ,	5.	7
w w 4 w	ан		H 44	27	4 (5 4	7
0000	H		10	×	ო (o m	_
8888	H		∞ •	0	81 . 4	2 2	-
ннн				t	s-1 -	+ +	_
mnd	dry con- 150)	iffic		all elt o's	P :	: ਐਂඩ : ਐට :	-
GASKET, water pump cover (1/22 vellumoid)	AMMETER, assembly. BATTERY, storage, 12-16 V., type 8T, dry charged (ELECTROLYTE in separate container; see ELECTROLYTE, 51-A-1562-150) (H015-500907, BATTERY, wet charged, may be issued as alternate). BREAKER, circuit, instrument panel, 20 amp.	CAP, distributor, assembly COIL, ignition, assembly CONDENSER, distributor, assembly DISTRIBUTOR, assembly ELECTROLYTE, storage battery, specific gravity, 1.275 (for BATTERY, dry charged,	GAGE, fuel, instrument panel GAGE, oil pressure, engine unit GAGE, oil pressure, 80 lbs., instrument panel. GAGE, water temperature GASKET, ignition wires at distributor	GENERATOR, w/3% pulley, assembly (use on all M20's below serial No. 30) (use with Belt D67400B). GENERATOR, w/4½ pulley (used on all M20's above serial No. 29) (use with Belt D67400C). LAMP, elec., incand., sealed, 12-16 V. driving	sgle-tung-fil., No. 1261, 40 watt (C-6 fil., screw terminal) (for head light)	LAMP-UNIT, blackout tail, sealed, 4 opening, 12-16 V., 3 cp., assembly. (lower, left and right) (GL-593305). LAMP-UNIT, blackout stop, sealed, one-opening, 12-16 V., 3 cp., assembly (upper, right)	(CL-5933308).
HM-22164-A HM-22149-A HM-22166-A HM-40170-CS HM-11770-BS	·	AL-IAC-1051 AL-IG-267-IN AL-IAC-4003	KS-40391 KS-40311-1 KS-40305-1	GL-5934392	GL-5935000	FM-GPA-13491 FM-GPA-13485	
A171671 A171670 A283403 C65948	B199959 500908 B199968N A 284644	B248695 B246885	B199960B B246995 B246994 B248901 A285007 A330160	D67368 D67368A	190917	504419	
G067-1200591 G067-1200589 G134-0217450 G067-1200755 G067-1200950 G134-0400162	G104-1507301 H015-500908 G104-1793699 G134-5984644	G104-1531634 G134-0138795 G134-0138998 G134-0152015 51-A-1562-150	G148-0194161 G134-0194062 G134-0194061 G136-0193738 G136-0194039 G136-0194040	G134-0196300 G136-0125915 H104-193137	H104-190917	H004-504419	

 -i	Note		<u> </u>		Col. 14				H-4-	H.4	H-4		H-4			H-4	H-4		H-4										_				
	88	101 Up Vehicles	Set	No. 8	Col. 13		·		'n	ιņ	77					~~~	7		~	۲۲	54	~ (.7	m	,	7	ო		20 0	N 0	7 0		81
	6000-mile ce service (10)	78-100 Vehicles	Set	7.0°	Col. 12	,		,	4	4	-		-		,	-			~	T	40	י הי	⊣	6	İ	н	7	•	⊣ •	٠,			
-	rforming maintenan i TM 9-28	61-75 Vehicles	Set	Z0.6	Col. 11			•	က	m	H		г	-	•	-	н		۳.	-	30	4 .	-	2	l	 -	7	,	- •				_
UNIT BREAK-DOWN	Units performing 6000-mile (100 hr.) maintenance services (see TM 9-2810)	26-50 Vehicles	Set	No. 5	Col. 10			•	64	7	-	:	+		,			Ť	#4	-	77	w .	-	-	I	H	1		٦,	٠,			_
VIT BRE/	_	1-25 Vehicles	Set	No. 4	Col. 9			,	64	63											16	01		-	ı		-	•					_
ū	00-mile services 0)	51-75 Vehicles	Set	No. 3	Col. 8			,		-											14	61										-	_
	orming 10 intenance IM 9-281	26-50 Vehicles	Set	No. 2	Col. 7			. ,													10	67											_
	Units performing 1000-mile (50 hr.) maintenance services (see TM 9-2810)	1-25 Vehicles V	Set	_	Col. 6	····	•		-	. +-1											∞ .											 .	
	₩ 				Col. 6	ORGANIZATIONAL SPARE PARTS (Cont'd)	GROUP 06-ELECTRICAL (Cont'd)	LAMP-UNIT, blackout, driving, sealed, shielded,	6-8 V., No. 2405S, 15 watt, 10 cp., C-6 fil., 6 V LAMP-UNIT, service tail and stop. sealed, 12-16	V., 21-6 cp., assembly (upper left) (GL-5933302)	mounting base, assembly	LIGHT, blackout tail and blackout stop, 12-16 V.,	1/8 in. long mtg. stud, assembly (R.H.) (GL-927234)	LIGHT, blackout tail and service tail and stop,	12-16 V., 7/8 in. long mtg. stud, assembly (L.H.)	(GL-927233)	service head, 12-16 V., assembly	LIGHT, combination, blackout marker and	shielded scaled blackout head, 12-16 V., assembly	MOTOR, cranking assembly (also known as starter)	PLUG, spark, 14MM, assembly	POINT SET, distributor breaker	KELAY, solenoid, cranking motor, assembly	(used on all M20 above 115)	REGULATOR, generator voltage, assembly (first	type) (used on all M20 through 115)	ROTOR, distributor, assembly	STARTER, assembly (see MOTOR, cranking).	SWITCH, blackout driving light	SWITCH, blackout head light	SWITCH, button, cranking motor, assembly	SWITCH, instrument panel lights, assembly	(replaces A244711)
	Part Number			Manufacturer	Col. 4			GL-5934473	FM-GPA-13494		GL-91/21/	FM-GPA-13404		FM-GPA-13405	•	GT -025500	6000	GL-925561	-	AL-MAY-4138	CP-JC-10	AL-IGP-3028FS	FM-09B-11450		AL-VRH-4101C		LA-1AC-1016		1	HC-7160	FM-19-B-11500		
				Ordnance	Col. 3	· · · · · · · · · · · · · · · · · · ·		C105860	504416		C105062B	504411		504404		D:0626B		D59771B		B248694	A283470	:	B248697	C118U/3	C118349				B257738	B183176	A283452 R250561	A284412	
1	Stock	Order and	Store by This Number		Col. 2		-	M001-0107347:	H004-504416	***************************************	M1001-0214511	H004-504411		H004-504404		G103_161404		G103-1671604		G136-03-91830	G136-03-40470	G136-03-42322	G134-03-89052	G100-03-0/338	G136-0367413		G104-1773609		G104-1793711	G103-0502110	G134-393784 G104-1793789	G176-5284412	
	Figure				Col. 1														-	****									•	•		•	-

·	H H - 9		H-12
000	11 11 11 3 3	25 82 5 11 25 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	.6
ннн г	228 88 22 2	4.1.0.0.1.4.4.4.4.8.4.1.0.0.1	7
ee e	000 400	8 4 4 4 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	20
84412)	. Ի Խ Խ Խ ՠ ՠ	4 - 8 - 1 - 4 - 1 - 4 - 1 - 1 - 1 - 1 - 1 - 1	4
176-52	०५४ अनम	и и≒ ииои и 4 и w∞	8
O	4ოო ძ	H 01 H H 01 H 00	2
SWIT CH,		ה מ החמה ה מ ה מימ	2
(Sec	0 H H H	н н нн ч н н н н н н .	-
SWITCH, instrument panel lights, assembly (Issue until stock is exhausted, then issue A284412, SWITCH, master, assembly SWITCH, stop light, assembly VOLTMETER, assembly GROUP 07—TRANSMISSION PLUG, pipe, magnetic, sq.hd., ¾.14, std. pipe	GROUP 10—FRONT AND INTERMEDIATE AXLE BOOT, steering knuckle, zipper type. CLAMP, boot, inner. CLAMP, boot, outer. FITTING, lubricating, hydraulic type, stght, ball seal, ½.27NPT, male (front axle). PLUG, pipe, sq.hd., black, ½ in. (front axle socket) PLUG, pipe, sq.hd., black, ½ in. (differential filler) GROUP 12—BRAKE	BOOT, brake master cylinder. CABLE, S., 3's x 71½, hand brake. CLAMP, hose, 5's, hydrovac. CLAMP, ½ hose, hydrovac to check valve hose CYLINDER, master brake, assembly CYLINDER, 1½ diameter, wheel, brake, right CYLINDER, 1½ diameter, wheel, brake, left GASKET, cop., ¾ I.D. x 1¾; O.D., hydrovac, inner GASKET, filler plug, brake master cylinder HOSE, brake, assembly (17½ in. long) (1 used hull to rear axle; 1 used hull to intermediate axle) HYDROVAC, assembly HOSE, brake, ½ I.D. x 11 in. long (front axle ends) HOSE, brake, ½ I.D. x 11 in. long (front axle ends) PLUG, filler, brake master cylinder SHOE, brake, w/LINING, assembly SPRING, brake shoe, retracting SPRING, brake shoe, retracting	CONE and ROLLERS, taper roller bearing, 213/6 bore x 1.1875 width, wheel, inner
RBM-CX230800 FM-11A-13480 WG-1520N	TD-3280-P-1602 TD-3280-3-1622 TD-3280-4-1620 FM-353064-S WG-X1520	LO-FC-1331 BX-371910 LO-FE-2120 LO-FD-7642 LO-FC-2037 BX-373330 LO-FC-4073 BX-46467 BX-46467	TIM-33281
A244711 B246956 A283457 B199965	C100433 C118092 C118091 504208 B289258 219199 219301 A284307	A167897 B248746 500680 A215923 C117670 B246815A B246815A A285030 A167884 A284017A D72378 A285128A A284017B A167888 C127172 B246822	A283654A
G104-1793705 G134-0393787 G134-0393785 G176-0774906 G136-0340663	G102-1524323 G136-0137806 G136-0137805 H002-0204200 H006-0283815	G067-0600130 G136-0131228 G134-0137812 G134-0137803 G134-0145645 G134-0145644 G134-0145644 G134-0193877 G067-0600790 G136-0217820 G136-0217819 G067-0601480 G136-0389805	H012-6163580

ORGANIZATIONAL SPARE PARTS AND EQUIPMENT

	Note	5			Col. 14		-		H-12	H-12		H-12	H-14		H-14	H-12	71-17					
		101 Up Vehicles	Set	No. 8	Col. 13				o,	Ó		o,	28		28	4 5	CT	•	0 0			
	Units performing 6000-mile (100 hr.) maintenance services (see TM 9-2810)	78-100 Vehicles	Set	20.7	Col. 12				7	7		-	21		21	w 5	3					
	forming (naintenance TM 9-281	51-75 Vehicles	Set	No.	Col. 11				ιn	Ŋ		S	16		16	C1 0	•	•		**		
UNIT BREAK-DOWN	Units per 100 hr.) m (see	28-50 Vehicles	Set	20°	Col. 10				4	4		4	12		12	C7 4	0		H H			
IIT BREA	- 5	1-25 Vehicles	Set	9	Col. 9				m	ო		m	6	,	o o	~ u	n	•				-
á	00-mile services 0)	51-75 Vehicles	Set	٠ و و	Sei. 8				8	7		67	7	- -	7		n					
	orming 10 ntenances FM 9-2810	28-50 Vehicles	Set	No. 2	Col. 7	,	,		67	8		64	25		r,		4			init, lies.		
	Units performing 1000-mile (50 hr.) maintenance services (see TM 9-2810)	1-25 Vehicles V	Set	<u>.</u>	Col. 6				m	+ 4		-	4		4					same u art app		
	. ⊢		1		Col. 5	ORGANIZATIONAL SPARE PARTS (Cont'd)	GROUP 13—WHEELS, HUBS and DRUMS (Cont'd)	CONE and ROLLERS, taper roller bearing, 2.625	bore x 0.866 thk., wheel, outer	inner	CUP, taper roller bearing, 4.3307 O.D., wheel,	Outer NIT special S 116.16NF.2 left-hand thread		NUT, special, S., 11/8-16NF-2, right-hand thread	(mounting right wheel)	aring)	OLD SEAL, for wheel bearing	GROUP 22-MISCELLANEOUS	CABLE and SHAFT, speedometer, assembly	common to two or more vehicles assigned to the same unit, basis of the total number of vehicles to which the part applies.		
	Part Number			Manufacturer	Col. 4		-	TIM-395-A	TTM-33479	}	TIM-394-A	FW.BB.1134	*****	FM-BB-1135		TT A 1906 D 429	1 L-A-1 203-F-432		SW-97800-114	NOTE: Where the same part is c the part should be issued on ba		
				Ordnance	Col. 3		•	A283655A	A283654E		A283655B	4983151B	7107074	A283151A		A283731	A283/43		B248767 B199958	NOTE: Who		
1,100	Official Stock Number	Order and	Store by This Number		Col. 2			H012-6103000	H019.6995100	201240	H012-6202450	C134_0114737	CALINALON	G134-0114736		G136-0143558	G136-0382850	-	G134-0384731 G104-1789551			
	Figure	Number	•		Col. 1		•			··									-			

ORGANIZATIONAL TOOLS

The issue of the following organizational tool sets, the component items of which are listed hereunder in columnar form, are as follows:

TOOL-SET, BATTALION CREW: (Col. 8). As authorized in applicable T/BA, T/A or T/O&E.

TOOL-SET, REGIMENTAL MAINTENANCE PLATOON: (Col. 9). As authorized in applicable T/BA, T/A, or T/O&E.

	Note Symbol		Col. 10		3	× /3.5	G-27 W		G-27 W		G-27 W	G-27 W			G-27 W	G-27 W	
Tool-Set,	Regimental	Platoon	Col. 9		•	7	~		-		=	+					
,	Battalion Crew		Cal. 8	-	•	-∢			П		-			,		-	<u> </u>
i	Company		Col. 7		•												
Š.	Mechanics		Col. 6														-
2 4			Col. 5	SPECIAL TOOLS	FVF 16thing angles	REMOVER and REPLACER, bearing cup and grease retain-	retainer, steering sector shaft	REMOVER and REPLACER, pin, spring shackle (formerly	41-R-2389-28)	REPLACER, bearing cup, pillow block (formerly	41-K-2393-29). REFLACER, retainer, hub, bearing cup, grease seal (formerly	41-R-2394-108)	REPLACER, seal (grease), axle hub bearing cone (inner),	complete with adapters M8-121A and M8-121B (formerly	41-R-2394-130)	WRENCH, crowfoot, engine oil pressure regulating	
Part Number		Manufacturer	Col. 4			WKR-M8-503		WKR-M8-315		WKR-M8-130	WKR-M8-107		WKR-M8-121			KM-2268-A	
		Ordnance	Col. 3		7760707	B295837		C102839		B295853	B295848		C102845			A386470	
Official Stock Number	Order and	This Number	Col. 2		41-F-647	41-R-2374-880		41-R-2378-550		41-R-2385-205	41-R-2396-400		41-R-2397-300			41-W-871-40	
	Number		Col. 1			83				63	8		63	,			

Number		Par	Part Number		Quantity	;	,
	Order and			W # I	per Vehicle	Note Symbol	ibog Pog
	This Number	Ordnance	Manufacturer	-			
Col. 1	Col. 2	Col. 3	Col. 4	Col. 5	Col. 6	Sol	Col. 7
•	`			VEHICULAR SPARE PARTS			
	G103-1518303	D67400A		BELT, fan drive	,		
	G103-1518304 G136-0118253	D67400B		BELT, generator (use with Generator, D67368) (issue type used)	p-1 p-1		
-	H014-538005	A284320	•	CAPS, tire valve, screwdriver type (boxed).			
	H104-190917	190917		LAMP, elec., incand., min., 12-16 V., dble-tung-fil., No. 1247, 3 cp. (SC cand. bay. base,			
	G104-401278	A213744		G-6 bulb, C-2R-C2R fil. in series) PIN, locking (for tow shackle pin)	63 4	H-4	•
			-	VEHIGULAR TOOLS AND EQUIPMENT			
				Common Tools			
	41-A-1277	-		AXE, handled, chopping, single bit, standard grade, 4 lb. (type A, except painted olive drab)	п	9-1	
	41.B-15			BAG, tool		J-15	
	41-B-154 8-C-482-250			EAR, cross, socket wrench, round, solid (type V11, class A) \(f_0\) in diam. X & in. long		4-	} }
	41-C-1124	TBAX1C		CHISEL, machinists', hand, cold, ¾ in. cut, 8 in.	. 	J-2	×
•	41-F-1028	TEAXIDE		FILE, American-Standard, hand, smooth, 8 in.	-	J-2	≱
	41-F-15/2 8-G-357	TEAX2CP		FILE, American-Standard, three-square, smooth, 6 in	-	7-5	≩
				single foot	-	<u>7</u> -9	≱
	41-G-1344-40	4		GUN, lubricating chassis, hand operated, 15 oz. capacity		,	≱
	41-H-1286	Tagair		HANDLE, mattock (pick) 36 in. (grade AA) (Mattock, pick, Fed. Stock No. 41-M-722, and handle, mattock, Fed. Stock No. 41-H-1286 constitute mattock, pick, w/HANDLE, as	٠	5	}
				listed in T/O&E's and T/A's.)	-	ў- 8-	
	41-H-1502	TKEX2R		HANDLE, socket wrench, hinged, ½ in. sq-drive., 12 in. (type VII, class B).	-	4	≽
	41-H-1505	TKEX2B		HANDLE, socket wrench, ratchet, reversible, ½ in. sq-drive., 9 in. (type VII, class B)		4-7	} }
•	41-H-1508	IKEAZL	_	HANDLE, socket wrench, speeder, brace type, ½ in. sq-drive., 1/ in. (type vit, class D) HANDLE, wheel bearing adjusting and wheel stud mut wrench. ¾ in. diam 30 in		<u></u>	\$ ≥
	41-J-73		•	JACK, automobile and motor truck, hydraulic (type VII, class B), 5-ton, with handle	7		≾

ij	Stock Number	Par	Part Number		Quantity	
Number	Order and			N. 3	Per Vehicle	Symbol
	This Number	Ordnance	Manufacturer			
Col. 1	Col. 2	Col. 3	Col. 4	Col. 5	Col. 6	Col. 7
	,			VEHICULAR TOOLS AND EQUIPMENT (Cont'd)		
-				Common Tools (Cont'd)	ï	
	41-M-722			MATTOCK, pick, without handle (type II, class F) (Mattock, pick, Fed. Stock No. 41-M-722 and handle, mattock, Fed. Stock No. 41-H-1286, constitutes mattock, pick, w/HANDLE, as	1 0	
	0			listed in T/O&E's and T/A's).		J-6
	13-C-900 41-P-1652	THCXIA		VLEEN, steet, pump, 9 in. spout, 1 pt. (19pe 11). PLIERS, combination, slip joint, wire cutting, 8 in.		1-2
	41-P-1977	THAXIA		PLIERS; side-cutting, flat nose, 8 in.] -] -2
	41-S-1063	TGAX2B		SCREWDRIVER, close quarter, 1% x 1/4 in. blade, 4 in. over-all (type II)	-	
	41-S-1101 41-S-1385	TGBX1A		SCREWDRIVER, common, normal duty, single grip (type III, class C), 3 x % in. blade	H	J-4
				5 x ½ in blade.	F4	4-7
	41-5-31/0			width 01/s in hade langth 113/s in langth of handle 26 in 1 (1992 17 size 2)	-	¥
	41.W.486	TKAX3A		WRENCH, adjustable, crescent type, single end (type I, class B) 8 in. (1% in. jaw opening)		- - - - - -
	41-W-990	TKKX1A		WRENCH, engineers', 15° angle, double head, open end, normal duty, alloy steel, 5% in. and		>
	41-W-1000	TKKXIG		% in. WRENCH, engineers, 15° and e double head onen end normal duty, alloy steel 7, in and	.	J-4
	0001-44-11			/ in.		4
	41-W-1005-5	TKKX13F		WRENCH, engineers', 15° angle, double head, open end, normal duty, alloy steel, % and	·	>
	000 111	TO 25 27 27 TA		U/6 in		4-7
	41-W-1008	TKKX3F		WKLINCH, engineers, 15' angle, double head, open end, normal duty, alloy steel, % and % in. WRNCH engineers, 15' angle double head open and normal duty, alloy steel, 13% and 1% in		J-4 W
	41-W-1021	TKKX4C		WRENCH, engineers', 15° angle, double head, open end, normal duty, alloy steel. 1% and 1 in.	٠.	
	41-W-3009	TKEX3D		WRENCH, socket (detachable), 1/2 in. square drive, 12 point opening, 3/6 in.	·	. 4-L
	41-W-3013	TKEX3F	-	WRENCH, socket (detachable), 1/2 in. square drive, 12 point opening, 3/8 in.	г г	
	41-W-3017	TKEX3H		WRENCH, socket (detachable), 1/2 in. square drive, 12 point opening, 3/4 in.	н 	
	41-W-3023	TKEX3M		WRENCH, socket (detachable), ½ in. square drive, 12 point opening, ½ in	.	
	41-W-3025	TKEX3N		WRENCH, socket (detachable), 1/2 in. square drive, 12 point opening, 15/6 in	-	
	41-W-3331-100			WRENCH, spark plug, socket, ½ in. square drive, dble-hex. opening (with pin handle), ½ in.	-	≱
	41-W-3843-23			WXX.X.Y. Wheel stud nut, gouble end, nexagon openings, 1.002 X 1.303 in., 6 in. over-all	- ₹	
				Special Tools		
	000 2000	4 200 4 20 4		600 minutes 1/2 mi	-	711

		8 8		K-1		H-5	н-9					Sig. C. W	Chem.W.W	Sig.C.	QMC W	QMC W	Hag C W	Sig.C. W	Med.C.	Sig.C.	Power W	Sig.C. W	Sig.C. W	QMC W					ÇMC ₩	OMC W
		, o ,	ન	, 6 1		4	-			٠			~	30	; 	1	,	1 10	-	w.	perd per	٠.	н	-			9	φ,	r-4 +	- 61
Equipment and Accessories	BOOK, ORD 7 SNL G-176 Organizational Spare Parts and Equipment. BOOK, ORD 9 SNL G-176, Service Parts Catalog BOOK, Technical Manual 9-743 (additional issue by the Adjutant General is as indicated in	CHAINS, skid, single, pneumatic, fire, 9.00 x 20.00, type TS. COVER, crew compartment, canvas.	FORM, War Department, A.G.O. 478 (in container, Form No. 478-1)	HELMET, tank (one per crew member) (issue until stock is exhausted)	ORDER, Jubrication, War Department No. 139 (also known as GUIDE)	TAPE, adhesive, cotton olive drab, 4 in. x 15 yds. TAPE, friction, general use, black (grade A) ¾ in. wide, 30 ft. roll	WIRE, steel, carbon, low, annealed (soft), black, 0.080 in	Issued by Other Technical Services	The following items of equipment procured, stored and issued by technical services	other than the Ordnance Department, are issued initially with the vehicle described herein. Replacements only will be requisitioned on appropriate tech-	nical service in the usual manner in accordance with current regulations:	ANTENNA, complete w/cover (spare).	APPARATUS, decontaminating, 1½ qt. M2 (Spec. 197-54-113)	(SC-BA-30)	BUCKET, canvas, folding, 18 qt. (QMC-1-8-9)	CAN, water, 5-gailon (OMC-A353).	LAIINGUISHLK, nie, portable, carbon dioxide, nand, 4 lb., complete W/wall bracket	FLASHLIGHT, electric, hand, 2-cell, with lamp, w/o batteries (Spec. W-F-421) (SC-TL-122)	KIT, first aid (24 units) (Spec. 1553)	_	MITTENS, asbestos, pair	RADIO SET. SCR-506 (where specified)	RADIO SET, SCR-508 or SCR-510, or SCR-528 or SCR-608, or SCR-610.	TUBE, flexible nozzle, cam type (for refillable gasoline drums)	Provisions are made for stowage of the following equipment which is installed in the	vehicle by the using troops, and is not included in the initial issue by the Ordnance Department:	BAG, canvas, field, O.D. M1936 (QMC-2-3-16)	CANTEEN, M1910, 1 qt. (QMC-2-9-10)	CUTTER, wire, M1938	FLAG-SET, M238 MACHETE. M1939. w/sheath
		B262413 D67438		C76072		A312477 A312440										200	D3/12/							B263936				-		
		G147-135400 B20		<u></u>	,	27-T-180-250 A31 17-T-803 A31	22-W-1633-160			1	-				•	64-C-281	<u> </u>				37-M-360	-		42-T-13600 B26				74-C-80	74-C-330	

	Note Symbol	Col. 7			QMC QMC W			A-1 A-1 W A-1 W	B-1 W B-1 W	B-1 W				A-19	A-19
Quantity	per Vehicle	Col. 6			ન ન			ппп	· ю н	ret				<u> </u>	
	Σ	Col. 5	VEHICULAR TOOLS AND EQUIPMENT (Cont'd)	Issued by Other Technical Services (Cont'd)	RATIONS, field ROLL, blanket STOVE, cooking, gasoline, M1941	VEHICULAR ARMAMENT	The armament and mounts listed hereunder are installed in the vehicle prior to issue of the vehicle to troops: GUN, machine, cal50, M2, HB, flexible (Ordnance Class and Division No. 51-70) (reviewed in SNY A 20)	MOUNT, tring, M49 (reviewed in SNL A-55, Sec. 19) MOUNT, tripod, machine gun, cal. 50, M3 (reviewed in SNL A-39) Provisione are made for extenses of the following	Vehicle by the using troops, and is not included in the initial issue by the Ordnance Department: CARBINE, cal30, M1 (Ordnance Class and Division No. 42-36) (reviewed in SNL B-28) LAUNCHER, grenade, M8 (for carbine cal30, M1) (reviewed in SNL B-39)	(reviewed in SNL B-36)	VEHIGULAR ARMAMENT SPARE PARTS; FOR:	GUN, machine, cal50, M2, HB, flexible	Provisions are made for stowage of the following items which are installed in the vehicle by the using troops, and are not included in the initial issue by the Ordnance Department:	BARREL (spare)	BARREL, assembly (alternate for D28253A, BARREL) (to be issued until supply is exhausted).
Part Number	Mossifootissos	Col. 4	,												
Pa	Ordenso	Col. 3		-	-		51-70	D54500 D7135	42-36 C113709	7-71				D28253A	D28269
Official Stock Number	Order and Store by	Col. 2					A001-0100550	C176-6554500 A001-0305801	B001-0100015 B001-371875		······································			A039-0100008	A039-0100040
i	Number	Col. 1	-					- , · . .			•			<u>-</u>	


EXTRACTOR, sessingly EXTRACTOR, set EXT	A037-0100468	A152835	DISK, buffer.	٠,	A-19
1975 1977 1978	A037-0100300	E8959	EXTRACTOR assembly	+	A-19
1972 1978 PIN, cotter, spift, 8, 3, 6, 8 / 6 (deter pivot stud.) 1978 102	A037-0100729	B9718		-	A-19
1027 103763 PIN, cotter, spilt, S., 1, 2, 3, 46 (corporation) 1027 103763 PIN, cotter, spilt, S., 1, 2, 3, 46 (corporation) 1027 103764 PIN, facing (abservance, for B1712, PIN) 103762 PIN, facing (abservance, for B1712, PIN) 103764 PIN, facing (abservance, for B1712, PIN) 103762 PIN, facing (abservance, for B1712, PIN) 103764 PIN, facing factor and a sembly PIN, factor and	H001-0811039	103373	S., 3× 3/4		î i
1982 210,000	H001-0811321	107763	S., 1/8 × 5/8	-	H-1
1056 1310060 1015	H001-0811027	103362	PIN, cotter, split, S., 1/6 x ¾ (switch pivot)	-	H-1
BITTI PIN, fring (issue until stock is exhausted) 1	A038-7310080	7310080	PIN, firing (alternate, for B17171, PIN)		A-19
1771 PLIN, intring spring, w/spring, assembly 1772 1773 1774 1775 177			Jo		
PUNDAGES PUNDAGES PUNDAGES PUNDAGES PUNDAGES	A037-0101054	B17171	PIN, firing (issue until stock is exhausted)	+t	A-19
ROD, Giving spring, w/spring, assembly, requisition by components 1	A037-0101310	A13515	PLUNGER, belt feed lever		A-19
SECURDS, belf feed group (not to be requisitioned as an assembly, requisition by components only). Consisting of: Consi	A037-0101470	C64305	ROD, driving spring, w/spring, assembly	-	A-19
1 ARM, belt feed pawl. 1 ARM, belt feed pawl. 1 PAWL, feed, pawl, sasembly. 1 SLIDE, sear. 1 SLIDE, sear. 1 SERING, belt feed pawl). 1 SERING, belt feed few pawl). 1 SERING, belt holding pawl sear. 1 SERING, belt holding pawl sear. 1 SERING, belt holding pawl sear. 1 SERING,			SLIDE, belt feed group (not to be requisitioned as an assembly; requisition by components	,	
Table Tabl			(Applications of the control of the	-	
1 PAWL, feed, belt, assembly, 1 PAWL, feed, belt, feed, pawl, 1 PAWL, feed, belt, feed, pawl, 1 PAWL, feed, belt, feed, pawl, 1 PAWL, feed, feed, belt, feed, pawl, 1 PAWL, feed, feed, belt, feed, pawl, 1 PAWL, feed, feed, pawl, post, 1 PAWL, feed, pawl, pawl, post, 1 PAWL, feed, pawl, pa	4037-0100010	B8014	(Comments of the feed named to		·
1 PIN, belt feed pawl, assembly 1 SELIDE, its 1 SELIDE, belt sasembly 1 SELIDE, belt sasembly 1 SELIDE, belt sasembly 1 SELIDE, belt feed pawl) 1 SPERING, belt feed twe plunger 1 SPERING, cover extractor 1 SPERING, cover extractor	A037-0100940	B8961			A-19
10 25.0110 1 21.DE, feed, belt, assembly 1 21.DE, sear. 1 21.DE, sear. 1 21.DE, sear. 21.DE, sear. 21.DE, sear. 21.DE, sear. 22.DE, sear. 22.DE, sear. 23.DE, sear. 23.	A037-0101010	B8962	1 PIN. belt feed pawl, assembly		Α-10
1 SPRING, belt feed pawl), 1 SPRING, belt feed pawl), 1	A037-616110	B261110	1 SLIDE, feed, belt, assembly		A-10
1730 A13516 SPRING, belt feed fevry plunger 11 1777 A9522 SPRING, belt holding pawl 11 1820 B9074 SPRING, belt holding pawl 11 1830 SPRING, sear SPRING, sear 11 1843 A9524 SPRING, sear 11 1844 A9524 STUD, bolt 11 1847 A13424 STUD, bolt 12 1848 A9524 STUD, bolt 12 1849 A13424 STUD, bolt 12 1840 A9524 STUD, bolt 12 1840 A9524 STUD, bolt 12 1840 A9524 STUD, bolt 12 1841 A9524 STUD, bolt 12 1842 A9524 STUD, bolt 12 1843 A9524 STUD, bolt 12 1844 A9524 STUD, bolt 12 1845 A9524 STUD, bolt 12 1846 A9524 STUD, bolt 12 1847 A9524 STUD, bolt 12 1848 A9524 STUD, bolt 12 1848 A9524 STUD, bolt 12 1849 A9524 STUD, bolt 12 1840 A9524 STUD	A037-0101775	A9351	SPRING. bet feed pawl)		A-10
1777 A3516 SPRING, belt feed lever plunger 1 1 1 1 1 1 1 1 1	A037-0101740	A13595	SLIDE, sear	-	A-10
1777 26922 SPRING, bet holding pawl 1805 B9941 SPRING, cover extractor 1805 B9942 SPRING, cover extractor 1805 B9943 SPRING, cover extractor 1805 B9943 SPRING, cover extractor 1943 A13424 SPRING, sear SPRING, cover extractor 1944 A13424 SPRING, sear SPRING, cover extractor 1945 SPRING, sear SPRING, call 30, M1 Provisions are made for the stowage of the following item, which is installed in the vehicle by the using troops: D80064	A037-0101780	A13516	SPRING helt feed lever plunger	٠.	61, ¢
SPRING, cover extractor SPRING, cover extractor 1 1 1 1 1 1 1 1 1	A037-0101777	A9522	SPRING belt holding naw!	٠,	A-19
SPRING, sear SPRING, locking barrel	A 027 0101805	B0741	SDDING Action by the Company of the	٠.	61-4
SPERING, sear. SPERING, sear. SPERING, sear. SPERING, sear. SPERING, sear. STUD, bolt. CARBINE, cal30, M1	A027 0101890	15.5CT	CDDING Locking konnel		A-19
VEHICULAR ARMAMENT TOOLS AND ACCESSORIES; FOR: CARBINE, cal30, MI	AU3/-0101620	A0504	CDDING.	⊣` •	A-19
VEHICULAR ARMAMENT TOOLS AND ACCESSORIES; FOR: CARBINE, cal. 30, M1 Provisions are made for the stowage of the following item, which is installed in the vehicle by the using troops: BOOK, Field Manual 23-7, cal. 30, carbine, M1 CUN, machine, cal. 50, M2, HB, flexible and MOUNT, tripod, machine gun, cal. 50, M3 Accessories BAG, empty cartidge, cal. 50 COVER, gun and mount, cal. 50 Provisions are made for the stowage of the following items which are installed in the vehicle by the using troops: CLGXIB CLGXIB CLGXIB CLGXIB OILER, steel (hand), push bottom, 4 in. straight spout, ½ pt B8514	A037-0101843	A9524	STATING, Sear	٠,	A-19
VEHICULAR ARMAMENT TOOLS AND ACCESSORIES; FOR: CARBINE, cal. 30, M1 Provisions are made for the stowage of the following item, which is installed in the vehicle by the using troops: BOOK, Field Manual 23-7, cal. 30, carbine, M1 GUN, machine, cal. 36, M2, HB, flexible and MOUNT, tripod, machine gun, cal50, M3 Accessories BAG, empty cartridge, cal50 COVER, gun and mount, cal50 Provisions are made for the stowage of the following items which are installed in the vehicle by the using troops: CLGXIB CLGXIB CLGXIB CLGXIB CLGXIB OILER, steel (hand), push bottom, 4 in. straight spout, ½ pt.	A037-0101943	Alotzt	at U.D.) Dout.	-	A-19
CLGXIB CLGXIB CARBINE, cal30, M1 Provisions are made for the stowage of the following item, which is installed in the vehicle by the using troops: GUN, machine, cal50, M2, HB, flexible and MOUNT, tripod, machine gun, cal50, M3 Accessories BAG, empty cartridge, cal50 Provisions are made for the stowage of the following items which are installed in the vehicle by the using troops: CLGXIB CLGXIB CLGXIB CLGXIB CLGXIB CLGXIB SAG, empty cartridge, cal50 CCLGXIB CLGXIB CLGXIB CLGXIB CLGXIB SAG, empty cartridge, cal50 Accessories Accessories Accessories Accessories Accessories Accessories Accessories Accessories COVER, gun and mount, cal50 CCLGXIB CLGXIB CLGXIB CLGXIB CLGXIB CLGXIB SAG, empty cartridge, cal50 Accessories	· · · · · · · · · · · · · · · · · · ·	-	ARMAMENT TOOLS AND ACCESSORIES.		
CLGXIB CLGXIB CLGXIB CLGXIB CLGXIB CLGXIB COULER, steel (hand), push bottom, 4 in. straight spout, ½ pt.	•				
Provisions are made for the stowage of the following item, which is installed in the vehicle by the using troops: BOOK, Field Manual 23-7, cal30, carbine, M1 GUN, machine, cal50, M2, HB, flexible and MOUNT, tripod, machine gun, cal50, M3 Accessories BAG, empty cartridge, cal50 COVER, gun and mount, cal50 Provisions are made for the stowage of the following items which are installed in the vehicle by the using troops: CLGXIB CLGXIB CLGXIB CLGXIB OILER, steel (hand), push bottom, 4 in. straight spout, ½ pt.		•	CARBINE, cal30, M1		
Provisions are made for the stowage of the following item, which is installed in the vehicle by the using troops: BOOK, Field Manual 23-7, cal. 30, carbine, M1 GUN, machine, cal50, M2, HB, flexible and MOUNT, tripod, machine gun, cal50, M3 Accessories BAG, empty cartridge, cal50 COVER, gun and mount, cal50 Provisions are made for the stowage of the following items which are installed in the vehicle by the using troops: CLGXIB CLGXIB CLGXIB GULER, steel (hand), push bottom, 4 in. straight spout, ½ pt.					
BOOK, Field Manual 23-7, cal. 30, carbine, M1 GUN, machine, cal50, M2, HB, flexible and MOUNT, tripod, machine gun, cal50, M3 Accessories BAG, empty cartridge, cal50 COVER, gun and mount, cal50 Provisions are made for the stowage of the following items which are installed in the vehicle by the using troops: CLGXIB OILER, steel (hand), push bottom, 4 in. straight spout, ½ pt.			Provisions are made for the stowage of the following item, which is installed in the vehicle by the using froom:		
CLGX1B GUN, machine, cal50, M2, HB, flexible and MOUNT, tripod, machine gun, cal50, M3 Accessories Accessories BAG, empty cartridge, cal50 COVER, gun and mount, cal50 Provisions are made for the stowage of the following items which are installed in the vehicle by the using troops: CLGX1B OILER, steel (hand), push bottom, 4 in. straight spout, ½ pt.			BOOK, Field Manual 23-7, cal. 30, carbine, M1	H	
D80064 D80064 D80064 D80064 D91030 Provisions are made for the stowage of the following items which are installed in the vehicle by the using troops: CLGXIB OILER, steel (hand), push bottom, 4 in. straight spout, ½ pt.			City The south of the Action of the Country of the		
Accessories BAG, empty cartridge, cal. 50 D91030 Provisions are made for the stowage of the following items which are installed in the vehicle by the using troops: CLGXIB OILER, steel (hand), push bottom, 4 in. straight spout, ½ pt.			Con, machine, car, 112, 123, meanine and moon 1, unjou, machine gun, cal		
D80064 D80064 D80064 D91030 COVER, gun and mount, cal50. Provisions are made for the stowage of the following items which are installed in the vehicle by the using troops: CLGXIB CLGXIB OILER, steel (hand), push bottom, 4 in. straight spout, ½ pt.					
D91030 CLGXIB D80064 D84G, empty cartridge, cal. 50 CLGXIB D80064 D91030 CLGXIB CLGXIB D80064 CAPER, gun and mount, cal. 50 CLGXIB CLGXIB CLGXIB CLGXIB CLGXIB CLGXIB OILER, steel (hand), push bottom, 4 in. straight spout, ½ pt.	-		Accessories		
Provisions are made for the stowage of the following items which are installed in the vehicle by the using troops: CLGXIB OILER, steel (hand), push bottom, 4 in. straight spout, ½ pt	G104-6580064	D80064	BAG, empty cartridge, cal50	H	≱ ;
The vehicle by the using troops: CLGXIB OILER, steel (hand), push bottom, 4 in. straight spout, ½ pt		D91030	COVER, gun and mount, cal50	-	}
CLGXIB CLGXIB OILER, steel (hand), push bottom, 4 in. straight spout, ½ pt			Provisions are made for the stowage of the following items which are installed in		
CLGXIB CLGXIB OILER, steel (hand), push bottom, 4 in. straight spout, ½ pt					
CLGX1B OILER, steel (hand), push bottom, 4 in. straight spout, ½ pt			Common Tools		
B8514	13-0-1530	CLGX1B	OILER, steel (hand), push bottom, 4 in. straight spout, 1/2 pt		≱
		B8514			

		Col. 7				A-19 W	T-5	•	A-19 W	A-39 W A-19 W			A-19 W	A-19 W	A-19	A-19 W	70					``	F-1 W	F-210 W
Quantity	Vehicle	Col. 6					T 11	4	- -	- -	П	63		-	1	~			OΑ	۲		2		
2 4 + -		Col. 5	VEHICULAR ARMAMENT TOOL AND ACCESSORIES; FOR: (Cont'd)	GUN, machine, cal50, M2, HB, flexible and MOUNT, tripod, machine gun, cal. 50, M3 (Cont'd)	Accessories	BAG, canvas, metallic belt link, with draw string (111/8 x 25 in.)	BOUN, Field Manual 23-03, Browning, Machine gun, car. 330, AB, M.Z. BOX, ammunition, M.2 (100 rounds) (one is spare)	BRUSH, cleaning, bristle (wire), round, cal50 M4.	CASE, canvas, cleaning rod and brush, M15	COVER, canvas, spare barrel (45 in.) M13	COVER, canvas, tripod mount, machine gun, cal50, M1	ENVELOPE, canvas, spare parts, one button, 3% x 3 in.	EXIRACION, ruptured cartridge, cal50, M5 (to be issued until stock is exhausted)	EXTRACTOR, ruptured cartridge, cal50	ROD, cleaning (jointed), cal50, M7 (length 491/6 in.)	WRENCH, spanner, hook, combination, double end, cal50, M2	VEHICULAR SIGHTING AND FIRE CONTROL EQUIPMENT	Organizational spare parts and equipment for the following items having an SNL indicated in parentheses, are listed in the SNL indicated:	PROTECTOSCOPE, prism (spare)	Provisions are made for stowage of the following equipment which is installed in the	vehicle by the using troops, and is not included in the initial issue by the Ordnance	Department: BINOCULAR, M3, complete	(Consisting of: 1 BINOCULAR. M3 (Ordnance Class and Division No. 22-314) (SNL F-210)	1 CASE, carrying, M17)
Part Number	Manufacturer	Col. 4		-																				
Par	Ordnance	Col. 3				D34338	D73913	C4037	C64274	D33912	D30654	C59696	C04392	7160041	D35441	D28242			B183012	1067170			22-314	D44160
Official Stock Number	Order and Store by This Number	Col. 2	-			24-B-706-25	41-B-571	38-B-992-27	24-C-534-200 A039-5561331	24-C-2842-760	24-C-2899-115	24-E-1000 41-F-557-75	07-100-07-71	41-E-557-50	41-R-2567-75	41-W-3249-850			A055-0345850	004/440-6608	•		F001-0400005	F210-0200050
9110	Number	Col. 1											_			 ;						 -		

		8 8 8 8 8 8 8 8 8 8 8 8
		A-39 T-1 A-37
500 1000 36 12 3 3 4 4		¥ 22
Ammunition for use with these weapons is shown in SNL's T-1, S-9, S-4. Stowage facilities have been provided for the following rounds of ammunition: For GUN, Carbine, cal. 30, M1 For GUN, cal. 50, Browning, M2, HB, flexible For LAUNCHER, grenade, M8 (flares, signal, M17A1 series) GRENADE, hand GRENADE, rifle, M9A1 MINE, anti-tank, HE, M1, w/fuse (Ordnance Class and Division Drawing No. 82-0-42) ROCKET, anti-tank, 2.36 inch, M6 APPLICABLE CLEANING AND PRESERVING MATERIALS	See ORD 5 SNL K-1. See TM 9-850 for usage. ARTICLES FOR INSTRUCTIONAL PURPOSES; FOR: The items listed hereunder are for training purposes only and WILL NOT BE TAKEN into the field, upon permanent change of station, or into the Theater of Operations, unless otherwise indicated. Units will turn in all equipment held to the Commanding Officer of the station from which it departs. The receiving officer will make a report to the Service Command Commander without delay, showing number, type and condition of items received: GUN, Machine, cal50, Browning, M2, HB, flexible	ATTACHMENT, firing blank ammunition. CARTRIDGE, dummy, cal50, M2 (TO BE TAKEN into the field, upon permanent change of station and into the Theater of Operations). CHART, instruction, Browning Machine Gun, cal50, M2; flexible, set (one per organization equipped with BMG, cal50, M2; to schools as required). CCONSISTING of: PLATE, No. 1, Adaptations (ORD No. 19151) PLATE, No. 3, Basic Nomenclature (ORD No. 19153) PLATE, No. 4, Reading Extraction and Ejection (ORD No. 19154) PLATE, No. 5, Buffer Assembly and Barrel Extention Functioning (ORD No. 19155) PLATE, No. 6, Groups Disassembly (ORD No. 19157) PLATE, No. 7, Detail Stripping (ORD No. 19159) PLATE, No. 9, Feed Change Over (ORD No. 19159) PLATE, No. 10, Precautions (ORD No. 19160) PLATE, No. 11, Watercooled Adaptations (ORD No. 19161) PLATE, No. 12, Aircraft Adaptations (ORD No. 19163)) PLATE, No. 13, Heavy Barrel Adaptations (ORD No. 19163))
	·	
		•
82-0-42 C36-1-1		B147421 CS6579 7034575
		A039-8800011 A037-7034575

MAJOR ITEMS	Division 287 Car, armored, utility, M20	NOTES	The SNL reference in the note symbol column indicates the SNL in which the item is stored, issued, and reviewed. The major item indicated by (\$\tilde{\pi}\$) is stored, issued and reviewed under "Major Items", ORD 3, SNL G-1. (a) Items indicated by (W) are non-expendable. (b) Items not marked by (W) are expendable. (c) Items not marked by (W) are expendable. n. W Chemical Warfare Service Engineers Corps Med. C Medical Department Sig. C. Signal Corps	URERS' SYMBO	Listed below for identification purposes are the symbol prefix and address of each manufacturer pertinent to this list.	Name of Manufacturer	AC Spark Plug Division (General Motors Corp.), 1300 N. Dort Hghwy., Flint 2, Mich.	Electric Auto-Lite Co., Main Post Office Box 931, Toledo 1, O. Bendix Products Div., 401 Bendix Drive, South Bend 20, Ind. Champion Spark Plug Co., 900 Upton Ave., Toledo 1, O.	Co. (The), P. O. Box 400, Knoxville 4, Tenn. , 2000 Schaefer Rd., Dearborn, Mich. Pawtucket Ave., E. Providence 16, R. I.	. (General Motors Corp.), 25th St. and Arrow Ave., Anderson,	Cole-Hersee Co., 54 Old Colony Ave., So Boston 27, Mass. Hercules Motors Corps., 201 - 11th, S. E., Canton 2, O. Holley Carburetor Co., 5930 Vancouver Ave., Detroit 4, Mich.	Kent-Moore Organization, Inc., 485 W. Milwaukee, Detroit 2, Mich. King-Seeley Corp., 316 S. 1st St., Ann Arbor, Mich.	Lycomia Div. (Aviation Corp.), 652 Oliver St., Williamsport 38, Pa.	uring Co., 1601 Wall St., Fort Wayne 6, Ind.	Corp., 1820 Diversey Fkwy., Chicago 14, 111. Axie Co., 100-400 Clark Ave., Detroit 32, Mich.	Tringer Social Dearing Co. (111e), 1953 Welley Ave., Califoli, C. (111e), 1953 Cottage Grove Ave., Chicago 28, Ill.	Watherhead Co. (The) 300 E. 131st St., Cleveland 8, O. Wilson \mathbf{Y} B. 101 \mathbf{C} + \mathbf{Y} St., Shelland 8, O. Weatherhead \mathbf{Y} St., Shelland 8, O. Wilson \mathbf{Y} B. 10.1 \mathbf{C} + \mathbf{Y} St., Shelland 8, O.	Zenson, 22, 25, 25, 25, 25, 25, 27, 27, 27, 27, 27, 27, 27, 27, 27, 27	
	Class 31		the note symbol column indicate ated by (\$\varnothing{\varnothing}\$) is stored, issued any (\$\varnothing{W}\$) are non-expendable. I by (\$\varnothing{W}\$) are expendable. are Service \$\varnothing{B}\$ and \$\varnothing{B}\$ C \$\varnothing{B}\$.		cation purposes ar		AC Spark Plug Mich.	Electric Auto-L Bendix Product Champion Spar	Fulton Sylphon Ford Motor Co. Fram Corp., 55	Guide Lamp Div Ind.	Cole-Hersee Co. Hercules Motors Holley Carburet	Kent-Moore Org King-Seeley Cor	Lycoming Div.	RBM Manufact	Timken-Detroit	United Specialtic	Weatherhead Co	Zenith Carburet	TATTOTT
	Note Symbol eta W		The SNL reference in the note syr \[\times \] The major item indicated by \(\times \) \\ \(\times \) \] \[\times \] Items indicated by \(\times \) are r \[\times \] Items not marked by \(\times \) as a Chem. \[\times \] Chemical Warfare Service QMC Quarter		Listed below for identific to this list.	Symbol	AC	AL BX CP	FIN FR	GL	HC HOL	KW KS TA	4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0	REM	WI UI	STU	HM	Z	
		7												٠.			•		

FIGURE 2-TOOLS FOR CAR, ARMORED, UTILITY, M20



REPLACER 41-R-2396-400